	,		ICT Lab Status Report of ICT@Scho	
		2/0/10/100	14	Date: 28 /08 / 2019
		BARGARH	1011	Block: PAIKMAL
			HIGH SCHOOL, NRUSINGHNATH ARH, PO/PS-PAIKMAL (768039)	Implementing Parnter Code: ODZY - DARG - 1588
Head of the Institution Name:			RAMESH CHANDRA NAIK	Phone No: 7894564659
			ICT LAB ASSETS	Availability/ Working Status(Pl. tick as per applicability)
Sl. No.	No. of Computer		Make / Specification X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key	
	Desktop(Server)			Available(Yes/ No) Working (Yes/ No)
	De	sktop(Stand By)	keyboard and optical mouse with at least 2 free full height PCI slots	Available(Yes/ No) Working (Yes/ No)
-		Node 01		Available(Yes/ No) Working (Yes/ No)
		Node 02	The state of the s	Available(Yes/ No) Working (Yes/ No)
,	Node 03		19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt	Available(Yes / No Working (Yes / No)
	Node 04			Available(Yes / No) Working (Yes / No)
[Node 05	black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port	Available(Yes / No) Working (Yes / No)
		Node 06	VDA, with Windows certification with EPEAT	Available(Yes / No) Working (Yes / No)
İ	Node 07		GOLD/TCO/Energy star certification, 104 Key keyboard and optical mouse with Shared device	Available(Yes/ No) Working (Yes/ No)
		Node 08		Available(Yes / No Working (Yes / No)
		Node 09		Available(Yes / No) Working (Yes / No)
		Node 10		Available(Yes / No Working (Yes / No)
2	Integrated C	omputer Projector K-Yan	Projection System:DLP Technology:Brightness:2500-ANSI Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable TV tuner	Available(Yes/ No) Working (Yes/ No)
3	Interactiv	ve White Board (IWB) SMART	Active Size: Minimum 77" diagonal Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer	
4	MFP	Printer(HP/RICOH)	Mode: up to 18 ppm, print technology: laser, print quality black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T Ethernet network port, RJ-11 telephone port, Duplex printing Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP Scan resolution, optical: up to 1200 dpi, certified by IDC	Available(Yes/ No) Working (Yes/ No)
5	Or	nline UPS(Delta)	ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output	Available(Yes / No) Working (Yes / No)
6	Netwo	rking Switch(16 Port)	D-Link	Available(Yes/ No) Working (Yes/ No)
7	Serve	o Stabiliser(Protect)	5 KVA(1 phase servo motor operated line voltage corrector input range: 50v-270 v(Single Phase), Mounting: On wheels Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection throug MCB, frequency range: 50+/-3% hertz. Operating temp:: 0 to 50 degree Celsius	Available(Yes // No) Working (Yes // No)
8	10000	ent Generator Set Champ/Perfect)	ISO 9001 certified minimum 3 KVA petrol/Diesel based silent generator set with safe cabling and installation	Available(Yes/ No) Working (Yes/ No)

. No.	Quantity	Make / Specification	Status				
9	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction	Available(Yes/ No) Working (Yes/ No)				
10	Headphones(40)	Headphone with Mic	Available(Yes/ No) Working (Yes/ No)				
H	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes/ No) Working (Yes/ No)				
13	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes/ No) Working (Yes/ No)				
13	Computer Table 13 Units	Tajpuria	Available(Yes/ No)				
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes // No)				
15	Ceiling Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)				
16	Exhaust Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)				
17	Tube Light(4)	NA	Available(Yes/ No) Working (Yes/ No)				
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes/ No) Working (Yes/ No)				
19	Electrical Meter	NA	Available(Yes/ No) Working (Yes/ No)				
20	Harthing	NA	Available(Yes/ No) Working (Yes/ No)				
21	Networking	NA	Available(Yes // No) Working (Yes // No)				
2.2	Vinyl Flooring	Vinyl	Available(Yes/ No)				
23	Painting	NA	Available (Yes/ No)				
24	Curtain	NA	Available(Yes/ No)				
25	Wall Clock	NA	Available(Yes // No)				
26	Notice Board	NA	Available(Yes/ No)				
27	White Board	NA	Available(Yes/ No)				
28	Lab Cleanliness kit	NA	Available(Yes/ No)				
29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes/ No)				
EL No. I	Recurring Services						
Sl. No.		Particulars	Item Supplied				
1		Consumables size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, R/W)-50, White board Marker with Duster- 12	1st Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.				
2	Ele	ctricity due fully cleared	✓1st Yr. ✓2nd Yr. ✓3rd Yr. ✓4th Yr. ✓5th Yr.				
3	No pende	ncy in payment of Genset Fuel	1st Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.				
	SOFTWARE WORKING STATUS						
Sl. No.	2. 35.1. 3.1.1.0.35.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	Particulars	Status				
	facilities available for Teachers' training		Available(Yes V/No)				
	40		Available(Yes V/No)				
5	Vidyalaya attendance in Desktops & Cli	citis	Available(Yes // No)				
4]							
Name of School Coordinator worked till 20th August, 2019 JOGESHWAR SARANG) Contact no. of SC: 7682830572							
	Signature of Implementing Partner's rep	0125	Signature of HM/HM In-Charge				
Govt.(SSD)High School Nrusinghnath							

Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name:

Ashrefork Sahre

ID no:

Teaching Subject(s):

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY):

Father's Name:

E-Mail ID:

Contact no:

Teaches through e Content: Yes/No

Name: Kedarum Das

ID no:

Teaching Subject(s):

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY):

Father's Name:

E-Mail ID:

Contact no:

Teaches through e Content: Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

A Ashurtosh Salu

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.



ODZ4-BARG-1588 Ph-2

