Description	ICT Lab Status Report of ICT@Schools Project (Phase-I)					
The control of the continue	UIDSE C	Code: 212403018	52	Date: 8, 4. / 9		
Computer	District:	BOLANGIR		Block: BANGOM WINDA		
No. of Computer	-	School: GIRLS HIGH	SCHOOL BANGOMUNDA	Lumb Control Code: ODE CR SI A - 21 2-6		
State Stat	NOTAL / WAS COME		NDM WENCO	Phone No: 9937(2)564		
Desktop@newl	riead of	the Institution (value.				
Deskup(Server) Cores, RAM (Off or higher equivables (1) COR, 500 (B HED) Following (Parameter) Cores (1) Cor	Sl. No.	No. of Computer				
Desktop(Stand By) Lip/Loard and optional moses with a fear 2 few foil longile PC Available(Yes No Working (Yes No No No No No No No N		Desktop(Server)	cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt. Desktop			
Node 02 Node 03 Node 04 Node 05 Node 05 Node 06 Node 06 Node 06 Node 07 Node 06 Node 07 Node 07 Node 07 Node 08 Node 07 Node 08 Node 08 Node 09 Node 00 Nod		Desktop(Stand By)	keyboard and optical mouse with at least 2 free full height PCI			
Node 03 Node 05 Node 05 Node 05 Node 06 Node 06 Node 07 Node 06 Node 07 Node 08 Node 08 Node 08 Node 08 Node 08 Node 09 Node 09 Node 09 Node 09 Node 09 Node 09 Node 00 Nod		Node 01		S S Marie Marie Valley		
1 Node 04 Section of 14		Node 02	-			
Node 04 resolution of 1440 x 900 and VOA connectively with and National Processing 1987 No. Working (Yes. x No.)	١, ١	Node 03	19- inch or higher LED monitor with static contrast 1000:1			
Node 09		Node 04	resolution of 1440 x 900 and VGA connectivity with matt			
Node 07		Node 05	degrees/160 degrees(horizontal/vertical), wall mounting port			
Node 07 Node 10 Projection System DLP Technology Brightness 2500-ANSI Lumerateristors Theory Resolutions 3VA(800.8000). Centrate State State State Computable Sections 3VA(800.8000). Centrate State S		Node 06	VDA, with Windows certification with EPEAT			
Node 10 Node		Node 07				
Node 10 Node 10 Projection System DLP Technology Brightness 2500-ANSI Lumens(Short Threo Resolution, SYGA) (500 of Contrast Rato 2500) Computer Sterring May exhibit the Computation of Computer May exhibit the Computation of Computation of Computer May exhibit the Computation of Computer May exhibit the Computation of		Node 08		Available(Yes / No) Working (Yes / No)		
Node 10 Projection System DLP Technology Brightness 2500.ASM Lamener(Short Throw Resolutions SY01A(R00 serios) Countains Ratio 2500 L'Compater System N. 200 norm AMB 1.1 scales of the projection of the pr				Available(Yes / No) Working (Yes / No)		
Population System U.B. Technology Brightness 2500-ANSI LumemSCROP Throw Resolutions. 2001 Centures. Ratio 2500 I Computer System. VSO architecture. 3 2 Offize or higher with A declased occurs, VSO Association. Ratio 2500 I Computer System. VSO architecture. 3 2 Offize or higher with ID graphics 4 off B DGR S RAM expandables to 16 GB. 500 GB Series SATA II 7200 A HDD. Optical Drive DVD RW. wereless before all X optical section moses. Compatible chapses with ID graphics 4 off B DGR S RAM HDD. Optical Drive DVD RW. wereless before all X optical section moses. Color DOS. Servo Population and State Color Resolution of the State State Interactive White Board (IVB) Active Size. Minimum 77? diagonal Active Size. Minimum 177 diagonal Active Size. Minimum 177 diagonal Active Aces. Minimum antice area 156 cm W + 117cm H Resolution. Digitating resolution in approximately 327c7 s Appel Ratio 4 3 Board Surface. Durable Hard-coated steel surface, organizate for projection, maniferance for Windows 3 Populating resolution in approximately 327c7 s Appel Ratio 4 3 Board Surface. Durable Hard-coated steel surface, organizate for projection, maniferance for Windows 3 Populating resolution in surface and seal of the State of the State State State of the State State of the State	_					
Integrated Computer Projector K-Van Integrated Computer Projector K-Van Englished (expert with 1 1gg) periphes 4 (B) DDR (PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, wereless keyboard & PM HDD, Optical Drove DVD RW, were lost by the PM HDD, Optical Drove DVD RW, were lost by the PM HDD, Optical Drove DVD RW, were lost by the PM HDD, Optical Drove DVD RW, were lost by the PM HD, Optical Drove DVD RW, were lost by the PM HD, Optical Drove DVD RW, were lost by the PM HD, Optical Drove DVD RW, were lost by the PM HD, Optical Drove DVD RW, were lost by the PM HD, Optical Drove DVD RW, which was also provided by the PM HD, Optical Drove DVD RW, which was also provided by the PM HD, Optical Drove DVD RW, which are lost by the PM HD, Optical Drove DVD RW, which are lost by the PM HD, Optical Drove DVD RW, which are lost by the PM HD, Optical Drove DVD RW, which are lost by the PM HD, Optical Drove DVD RW, which are lost by the PM HD, Optical DVD RW, which are lost by the PM HD, Optical DvD RW, which are lost by the PM HD, Optical DvD RW, which are lost by the PM HD, Optical DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which are lost by the PM HD, DvD RW, which ar	0	Node 10	Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast			
Active Size Minimum 77* diagonal Active Area Minimum 78* diagonal Available(Yes // No) Working (Yes // No) Working (Yes // No) Working (Yes // No) Working (Yes // No) Working (Yes // No) Working (Yes // No) Working (Yes // No) Minimum 78* diagonal Available(Yes // No) Working (Yes // No) Mariable (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No) Son diagonal Available (Yes // No) Working (Yes // No)	. 2	Integrated Computer Projector K-Yan	or higher with 4 dedicated cores, Minimum 4 MB, 1 3 cache, compatible chipset with HD graphics, 4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS, input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in, output, interal 30 watts			
Active Area Minimum active area 156 cm W = 117 cm H Resolution Digitizing resolution is approximately 32767 a 32767 Aspect Ratio. 4.3 Board Surface Durable Hard-coated steel surface, optimized for projection, maintenance free, surface, optimized for projection, maintenance free, white Board (IWB) SMART SMART SMART SMART SMART SMART Mode: up to 18 prm. print technology. Isser, print quality touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer Mode: up to 18 prm. print technology. Isser, print quality black(best) up yo 60000000 dpt/(120 dpt) effectively, display at least 2-line L/CD, processor speed mainimum 400.MHz, connectivity, standard. In speed 1USB 2.0 post, 10/100 base in Elbiron tentwork port. Plabed. ALPS. Son after format. MFP Printer(HP/RICOH) MFP Printer(H						
black(best) up yo 600x600 dpt(1200 dpt effective), display: at least 2-line L/CD, processor speed minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T- Ethernet network port, R7-11 telephone port, Duplex printing. Automatic scanner type: Flatbed, ADF. Scan file format. IPEG, THF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution, optical: up to 1200 dpt, certified by IDC ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling, With DG set compatibilities, Fiqueuency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output pure sine wave output D-Link D-Link Servo Stabiliser(Protect) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Sillent Generator Set Sillent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes // No /	3		Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3 Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA), Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports mult touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100			
power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output pure sine wave output Networking Switch(16 Port) D-Link Available(Yes / No) Working (Yes / No) 5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes / No) Working (Yes / No) Available(Yes / No) Working (Yes / No)	4	MFP Printer(HP/RICOH)	black(best): up yo 600x600 dpi(1200 dpi effective), display at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base." Ethernet network port, RJ-11 telephone port, Duplex printin, Automatic scanner type: Flatbed, ADF, Scan file format: IPFG TIF(Compressed & Uncompressed), PDF, GIF, BMI	Available(Yes / No) Working (Yes / No)		
Servo Stabiliser(Protect) Servo Stabiliser(Prot	5	Online UPS(Delta)	power back up, output wave form-Pure sine wave, Efficience 90% or better orated full load, input power factor > 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With Diset compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the	Available(Yes/ No) Working (Yes/ No)		
5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes // No) Working (Yes // No)	6	Networking Switch(16 Port)	D-Link	Available(Yes / No) Working (Yes / No)		
			input range: 50v-270 v(Single Phase), Mounting: On whee Output range: 220 V/230V/240V single phase(adjustable earthing terminals, overload cut-off, output protection throu MCB, frequency range: 50+/-3% hertz. Operating temp.: 0	Available(Yes / No) Working (Yes / No)		
	8		ISO 9001 certified minimum 3 KVA petrol/Diesel based silent generator set with safe cabling and installation	Available(Yes / No) Working (Yes / No)		

Sl. No	. Quantity	Make / Specification	Status			
9	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction	Available(Yes / No) Working (Yes / No)			
10	Headphones(40)	Headphone with Mic	Available(Yes / No) Working (Yes / No)			
11	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes / No) Working (Yes / No)			
12	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes/ No) Working (Yes/ No)			
13	Computer Table 13 Units	Tajpuria	Available(Yes / No)			
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes / No)			
15	Ceiling Fan(2)	NA	Available(Yes / No) Working (Yes / No)			
16	Exhaust Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)			
17	Tube Light(4)	NA	Available(Yes / No) Working (Yes / No)			
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes/ No) Working (Yes/ No)			
19	Electrical Meter	NA	Available(Yes / No) Working (Yes / No)			
20	Earthing	NA	Available(Yes/ No) Working (Yes/ No)			
21	Networking	NA	Available(Yes/ No) Working (Yes/ No)			
22	Vinyl Flooring	Vinyl	Available(Yes/ No)			
23	Painting	NA	Available (Yes/ No)			
24	Curtain	NA	Available(Yes/ No)			
25	Wall Clock	NA	Available(Yes/ No)			
26	Notice Board	NA	Available(Yes/ No)			
27	White Board	NA	Available(Yes/ No)			
28	Lab Cleanliness kit	NA	Available(Yes/ No)			
29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes/ No)			
Sl. No.		Recurring Service	s			
DE. 110.		Particulars	Item Supplied			
1	Consumables ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12		S1st Yr. 22nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
2	Elec	tricity due fully cleared	1st Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
3	No pendency in payment of Genset Fuel		🗗 st Yr. 🗣 2nd Yr. 🕩 3rd Yr. 🗣 4th Yr. 🗣 5th Yr.			
Sl. No.		SOFTWARE WORKING STA				
1	Facilities available for Teachers' training at School (ERA working or not)		Status Available(Yes ✓/ No)			
2	Facilities available for Students' learning/	Peer assessment at School (OES working or not)	Available(Yes/ No)			
3	All education software i.e. ERA, OES, A. Vidyalaya attendance in Desktops & Clier	AMA school dot com,9th & 10th e Content, Edu sat, e-	Available(Yes ✓/ No)			
4	0 OS-CIT books received at School		Yes V/No			
4 10 OS-CIT books received at School Ves / No						
Name of School Coordinator Forked till 1st April 2015 ROMANCHAN BEHERA Contact no. of SC: 8018 753611						
	Signature of Implementing Parison of Implementing Pari					
	233		Signature of HM/HM In-Charge			

Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Hens

Name: Lokanath meller ID no: 13 92039 315050512

Teaching Subject(s): Math

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY): 21.06.66

Father's Name: Sadonande Meler

E-Mail ID: Meher, lok analh 1966 @ growy, lan

Contact no: 9937525564

Teaches through e Content: Yes/No

Name: Hrudayaban chhatria

ID no: 1392041015050512

Teaching Subject(s): Sc

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY):15-04 19

Father's Name: Soyban chaloca

E-Mail ID: hocudayaban 12345 & gmal, bon.

Contact no: 9777074970

Teaches through e Content: Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Lokanath melle

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Howdayaban Chhapris

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

Photograph of functional ICT Lab:



ODZ5-BOLA-2176