

**ICT Lab Status Report of ICT@Schools Project (Phase-II)**

|                               |                          |                            |                |
|-------------------------------|--------------------------|----------------------------|----------------|
| UIDSE Code:                   | 211 40100 901            | Date:                      | 31.08.2019     |
| District:                     | DHENKANAL                | Block:                     | BHUBAN         |
| Name of School :              | BALIBO GOVT. HIGH SCHOOL |                            |                |
| Address:                      | BALIBO                   | Implementing Parnter Code: | ODDS-DHEN-2288 |
| Head of the Institution Name: | TARANISEN MAHARANA       | Phone No:                  | 9437128235     |

**ICT LAB ASSETS**

| Sl. No. | No. of Computer                     | Make / Specification   | Availability/ Working Status(Pl. tick as per applicability)  |
|---------|-------------------------------------|--|--|
| 1       | Desktop(Server)                     | X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Desktop(Stand By)                   |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 01                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 02                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 03                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 04                             | 19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 05                             | GOLD/TCO/Energy star certification, 104 Key keyboard and optical mouse with Shared device  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 06                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 07                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 08                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
|         | Node 09                             |  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| Node 10 |                                     | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )   |  |
| 2       | Integrated Computer Projector K-Yan | Projection System:DLP Technology:Brightness:2500-ANSI Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable TV tuner   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 3       | Interactive White Board (IWB) SMART | Active Size: Minimum 77" diagonal<br>Active Area: Minimum active area 156 cm W x 117cm H<br>Resolution: Digitizing resolution is approximately 32767 x 32767<br>Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA).Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects.<br>Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 4       | MFP Printer(HP/RICOH)               | Mode: up to 18 ppm, print technology: laser, print quality black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution , optical: up to 1200 dpi, certified by IDC   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 5       | Online UPS(Delta)                   | ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency, 90% or better orated full load , input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50 +/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 6       | Networking Switch(16 Port)          | D-Link   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 7       | Servo Stabiliser(Protect)           | 5 KVA(1 phase servo motor operated line voltage corrector), input range : 50v-270 v(Single Phase), Mounting: On wheels. Output range : 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50 +/-3% hertz. Operating temp.: 0 to 50 degree Celsius   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 8       | Silent Generator Set Champ/Perfect) | ISO 9001 certified minimum 3 KVA petrol/Diesel based silent generator set with safe cabling and installation   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |



| No. | Quantity                           | Make / Specification  | Status   |
|-----|------------------------------------|---|--|
| 9   | Web Cam                            | Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 10  | Headphones(40)                     | Headphone with Mic  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 11  | Headphone Sharer(10)               | 5-Way 3.5 mm head phone splitter(10)  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 12  | Fire Extinguisher                  | Portable Carbon Dioxide Handheld fire extinguishers as per IS specification                       | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 13  | Computer Table 13 Units            | Tajpuria  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 14  | Armless & Armed Chair (40-1) Units | Uma Plastic   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 15  | Ceiling Fan(2)                     | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 16  | Exhaust Fan(2)                     | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 17  | Tube Light(4)                      | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 18  | Switches, Sockets                  | 5 A-240 V Switches/2 in 1-5A and 15 A Socket/ 15A-240 V Socket with shutter                       | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 19  | Electrical Meter                   | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 20  | Earthing                           | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 21  | Networking                         | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) Working (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 22  | Vinyl Flooring                     | Vinyl   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 23  | Painting                           | NA  | Available (Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )   |
| 24  | Curtain                            | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 25  | Wall Clock                         | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 26  | Notice Board                       | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 27  | White Board                        | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 28  | Lab Cleanliness kit                | NA  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |
| 29  | Internet                           | Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> )  |

**Recurring Services**

| Sl. No. | Particulars   | Item Supplied   |
|---------|---|---|
| 1       | Consumables<br>ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12 | <input checked="" type="checkbox"/> 1st Yr. <input checked="" type="checkbox"/> 2nd Yr. <input checked="" type="checkbox"/> 3rd Yr. <input checked="" type="checkbox"/> 4th Yr. <input checked="" type="checkbox"/> 5th Yr. |
| 2       | Electricity due fully cleared   | <input checked="" type="checkbox"/> 1st Yr. <input checked="" type="checkbox"/> 2nd Yr. <input checked="" type="checkbox"/> 3rd Yr. <input checked="" type="checkbox"/> 4th Yr. <input checked="" type="checkbox"/> 5th Yr. |
| 3       | No pendency in payment of Genset Fuel   | <input checked="" type="checkbox"/> 1st Yr. <input checked="" type="checkbox"/> 2nd Yr. <input checked="" type="checkbox"/> 3rd Yr. <input checked="" type="checkbox"/> 4th Yr. <input checked="" type="checkbox"/> 5th Yr. |

**SOFTWARE WORKING STATUS**

| Sl. No. | Particulars  | Status  |
|---------|--|---|
| 1       | Facilities available for Teachers' training at School (ERA working or not)   | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 2       | Facilities available for Students' learning/ Peer assessment at School (OES working or not)  | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 3       | All education software i.e. ERA, OES, AAMA school dot com, 9th & 10th e Content, Edu sat, e-Vidyalaya attendance in Desktops & Clients | Available(Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/> ) |
| 4       | 10 OS-CIT books received at School   | Yes <input checked="" type="checkbox"/> / No <input type="checkbox"/>             |

**SCHOOL COORDINATOR DETAILS**

|  |                    |                                      |
|--|--------------------|--------------------------------------|
| Name of School Coordinator worked till 20th August, 2019 | <b>SURESH GURU</b> | Contact no. of SC: <b>7682830456</b> |
| Signature of Implementing Partner's representative       |                    | <b>Headmaster</b><br>21.08.19        |



## Annexure


Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

|  |  |
|--|--|
| Name: Arjuna Kumar Behera  | Name: Tuku Behera  |
| ID no:   | ID no:   |
| Teaching Subject(s): Math, SC  | Teaching Subject(s): Sanskrit  |
| OS-CIT Certified: Yes / No   | OS-CIT Certified: Yes / No   |
| Date of Birth (DD/MM/YYYY): 05-05-87   | Date of Birth (DD/MM/YYYY): 05-06-86   |
| Father's Name: Jayakrishna Behera  | Father's Name: Kalandri Behera   |
| E-Mail ID: akb9438@gmail.com   | E-Mail ID: tuku behera .86@gmail.com   |
| Contact no: 9438109498   | Contact no: 9178328262   |
| Teaches through e Content: Yes/No  | Teaches through e Content: Yes/No  |
| This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities. | This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities. |
| <u>Arjuna Kumar Behera</u>   | <u>Tuku Behera</u>   |
| Signature of Teacher   | Signature of Teacher   |

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

D. K. Dhanan  
31/08/19  
Headmaster  
Stamp & Signature of HM  
Balibo Govt. High School

Photograph of functional ICT Lab: Balibo, Dhenkanal



ODZ5-DHEN-2288

Ph-2