ICT Lab Status Report of ICT (Section of Section 1   Date   2					777
Market   M					
Sime of Schools   Since   Si		11276117	00 303	2116	5-2019
Interactive Name:	1700		ALC HICH CCHAN	- MILLION - 150	GHON
Simon   Postaropisme   PUPULENT   Property	-		RIPACT. DO-BADATAMUPA	Latin I I I I I I I I I I I I I I I I I I I	de: 10774-KECN-1771
Make / Seediffering   Make / Seediffering   Make / Seediffering   Make / Seediffering   Make / Mak	-	11 20110	PUTULRANT MAND		1438752902
Desking/Secure   cores, JAMA of the ladge requisable is 6 off, 90 off in trop.   Available(Yes   No.   Working (Yes   No.   No	Sl. No.	No. of Computer	Make / Specification	Availability/ Working	ng Status(Pl. tick as per applicability)
Deskinp(Stand By)  Secolate, P(VD) writer, (10/100 100 Bar 2 filthers), 100 Key for Subject 100 Key for Subject 100 Key for filth pring PCI and the subjec	4	Desktop(Server)	cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer,10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI	Available(Yes // No_	) Working (Yes <u>/</u> No)
Node 02   Node 05   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher LED monitor with static contract 1000-1   19- inch or higher 100-1   19- inch or highe		Desktop(Stand By)		Available(Yes/ No	) Working (Yes/ No)
Node 63		Node 01	resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes/ No	) Working (Yes) No)
1   Node 04		Node 02		Available(Yes // No_	) Working (Yes/ No)
Node 05	1	Node 03		Available(Yes // No_	) Working (Yes_V/No)
Node 06   Node 07   OD.   Available   Cest   No   Working (Yest   No   Node 07   OD.   Available   Node 07   OD.   Available   Node 08   Node 09   Node 10   Projection System CDLP Technology. Highness: 2590-ANSI   Available   Node 10   Available   Node 10   Available   Node 10   Projection System CDLP Technology. Highness: 2590-ANSI   Available   Node   Node 10   Projection System CDLP Technology. Highness: 2590-ANSI   Available   Node   Node   Node 10   Projection System CDLP Technology. Highness: 2590-ANSI   Available   Node		Node 04		Available(Yes <u>\_</u> /No_	) Working (Yes/ No)
Solido 67   COLDATO/Olinergy war certification, 104 Key keybord and copical mouse with Shared device   Node 08   Node 09   Node 10   Projection System-DLP Technology-Brightness-250-ANSI Lumera/Short Throw/Benology-Brightness-250-ANSI Lumera/Short Provided Professor Provided Professor Provided Professor Provided Professor Provided Professor Provided Professor Professor Provided Professor Provi		Node 05		Available(Yes V/No_	) Working (Yes/ No)
Node 07   Node 08   Node 09   Node 10   Projection SystemCDLP Technology: Brightness 2500-ANSI Lumena(Short Throw)(Receluloris SVGA,600 x600) Contract Rais: 2500 t Compatible System CDLP Technology: Brightness 2500-ANSI Lumena(Short Throw)(Receluloris SVGA,600 x600) Contract Rais: 2500 t Compatible System CDLP Technology: Brightness 2500-ANSI Lumena(Short Throw)(Receluloris SVGA,600 x600) Contract Rais: 2500 t Compatible System CDLP Technology: Brightness 2500-ANSI Lumena(Short Throw)(Receluloris SVGA,600 x600) Contract Rais: 2500 t Compatible System Compatible		Node 06		Available(Yes/ No	) Working (Yes V/No)
Node 10   Node 10   Available(Yes		Node 07		Available(Yes V/No_	) Working (Yes/No)
Node 10   Projection System DLF Technology-Brighness:2509-ANSI   Lumens(Short Throv)/Kenolution: SVCA/R000 x600); Contrast   Ratio: 25001 Computer System: X68 architecture, 3.2 GHz.   Computer Projector K-Van		Node 08		Available(Yes V/No_	Working (Yes // No)
Peljection System/LD Tacknology/displanes/2504-ANSI Lammer/Short Throw/Revolution XVAQR00 1000/Contrast Ratio: 25001 Computer System: X86 architecture, 3.2 GHz or higher with 4 declinated cores, Minimum 4 MB, 1.3 cache, compatible chipser with 1D graphics, 4 GB DDR RAM important and the declinate cores, Minimum 4 MB, 1.3 cache, compatible chipser with 1D graphics, 4 GB DDR RAM important and the second compatible chipser with 1D graphics, 4 GB DDR RAM important and the second compatible chipser with 1D graphics, 4 GB DDR RAM important and the second compatible chipser with 1D graphics, 4 GB DDR RAM important and the second compatible chipser with 1D graphics, 4 GB DDR RAM important and the second compatible chipser with 1D graphics, 4 GB DDR RAM important and the second compatible chipser with 1D graphics, 4 GB DDR RAM Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Interactive White Board (IWB) SMART  Appear Raico: 4.3 Board Surface: Durable Hard-conted steel surface, optimized for projection, maintenance five, compatible with dy-rasee matricas and easily cleaned with whiteboard chemic or is openyel skelold (IPA). Openting Windows 7 openting systems and Lame, Writing Tode: Both finger and pent touch without any special took, imports multi uoush and use of non mechanical and battery five objects. Power Option: Power consumption is less than 0.5 W (100 mA. at 5 V), Must obiath power flow, Writing Tode: Both finger and pent touch without any special took, imports multi uoush and use of non mechanical and battery five objects. Power Option: Power consumption is less than 0.5 W (100 mA. at 5 V), Must obiath power flower for the computer  Mode: up to 18 ppm, print technology: laser, print quality blackbear): up yo 600x600 dpt(1200 dpt effective), display: at least 2-lane. LCp, processer specer iminimum 400 bulk. Connectivity, standarch it speed USB 2.0 port, 10/100 base 17- Elfhernt tetwork port, 1D II-III is proved tistor-0-0.00, Battry type: sealed, Maintenance five, micro contro		Node 09		Available(Yes // No_	) Working (Yes_V/No)
Lumenum(Short Throw/Resolutions SVGA(500 x500); Contrast Raisis: 2500 (Computer Spreys (28 architecture, 23 Grible or higher with 4 dedicated cores, Minimum at MB, 1, 3 cachs, compatable (chipset with 110 gampies, 4 GB DDRS Architecture, 23 Grible or higher with 4 dedicated cores, Minimum at MB, 1, 3 cachs, compatable (chipset with 110 gampies, 4 GB DDRS Architecture, 17 Cache HDD, Optical Drive DVD ZW, Writesbe skyboard do polical seroll mouse, 052/05; input: PSZ Mouse & Keyboard, RF- in for IV, USP berns, Mircephore incouput, internal 30 watrs Audio output, LANN: KORph LAN, integrated analogue cable TV funce TV funce TV funce Sandal Active Area: Minimum artive area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Raio: 4.3.Board Surface: Durable Hard-coated steel aurface, optimized for projection, maintenance free, compatible with day-erase markers and easily cleaned with whiteboard cleaner or incoprosi shooloof (IPA), Operating System: Windows XP 873, Windows V 1878, SV 200 Windows 7 operating systems and Lian, Writing Tools: Both floor and personal proper from the computer  Available(Yes Moo) Working (Yes No) Working (Yes No) Working (Yes No) Working (Yes No)  Mode: up to 15 pan, print technology: Isser, print quality blackbethery: up 90 000006 quick offered by 100c.  Mode: up to 15 pan, print technology: Isser, print quality blackbethery: up 90 000006 quick greater, displayer, at least 2-line LCD, processor speed maintain 400 MHz. connectivity, Mandard: his poed USB 2 poert, 10700 by and the printing Automatic senator type: Flated ADP, Scan file formit PRG, TIP(Compressed & Uncompressed, IPF), GIF, BMP, Scan resolution, opticate up to 1200 dpic, extified by IDC  Jose and the printing and printing the printing to the printing to the printing the printing to 100 dpic, extified by IDC  Servo Stabilise(Protect)  Networking Switch(16 Port)  Networking Switch(16 Port)  Networking Switch(16 Port)  Servo Stabilise(Protect)  Servo Stabilise(Protect)  Servo Stabilise(Prote		Node 10		Available(Yes V/No_	) Working (Yes/ No)
Active Area Minimum active area 156 cm W × 117 cm H Resolution: Digitizing resolution is approximately 32767 x 32767 Appert Ratio: 43. Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-crase markers and easily cleaned with whitehooard cleaner or isopropyl alcohold (IPA). Operating System: Windows XP 873, Windows Vising SP2 cr Windows XP 873, Windows Vising Vi	2	Integrated Computer Projector K-Yan	Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable		) Working (Yes/ No)
black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T. Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution , optical: up to 1200 dpi, certified by IDC  ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load , input power factor > 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+-69k hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output  6 Networking Switch(16 Port)  7 Servo Stabiliser(Protect)  5 KVA(1 phase servo motor operated line voltage correctory, input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50t-43% hertz. Operating temp: 0 to 50 degree Celsius  8 Silent Generator Set  ISO 9001 certified minimum 3 KVA petrol/Diesel based  Available(Yes //No ) Working (Yes //No )	3	The second secon	Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100	Available(Yes/ No	) Working (Yes/ No)
power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output  D-Link  Available(Yes // No	4	MFP Printer(HP/RICOH)	black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP,	Available(Yes // No	) Working (Yes/ No)
5 KVA(1 phase servo motor operated line voltage corrector), input range : 50v-270 v(Single Phase), Mounting: On wheels.  Output range : 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius  Silent Generator Set  ISO 9001 certified minimum 3 KVA petrol/Diesel based  Available(Yes //No ) Working (Yes //No )	5	Online UPS(Delta)	power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the	Available(Yes/ No	) Working (Yes <u>/ No</u> )
Servo Stabiliser(Protect)  Servo Stabiliser(Protect)  Servo Stabiliser(Protect)  Servo Stabiliser(Protect)  Noutput range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius  Silent Generator Set  ISO 9001 certified minimum 3 KVA petrol/Diesel based  Available(Yes / No ) Working (Yes / No )	6	Networking Switch(16 Port)	D-Link	Available(Yes V/No_	) Working (Yes/ No)
Available (Ves / No ) Working (Ves / No )	7	Servo Stabiliser(Protect)	input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to	Available(Yes // No	) Working (Yes/No)
	8	A CONTRACTOR OF THE PROPERTY O	The state of the s	Available(Yes/ No	) Working (Yes/No)

SI. No.	Quantity	Make / Specification	Status			
9	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction				
10	Headphones(40)	Headphone with Mic	Available(Yes // No) Working (Yes // No)			
11	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes / No ) Working (Yes / No )			
12	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes / No) Working (Yes / No)			
13	Computer Table 13 Units	Tajpuria	Available(Yes // No)			
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes / No)			
15	Ceiling Fan(2)	NA	Available(Yes / No ) Working (Yes / No )			
16	Exhaust Fan(2)	NA	Available(Yes / No) Working (Yes / No)			
17	Tube Light(4)	NA	Available(Yes // No) Working (Yes // No)			
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes // No) Working (Yes // No)			
19	Electrical Meter	NA	Available(Yes/ No) Working (Yes/ No)			
20	Earthing	NA	Available(Yes / No) Working (Yes / No)			
21	Networking	NA	Available(Yes/ No) Working (Yes/ No)			
22	Vinyl Flooring	Vinyl	Available(Yes // No)			
23	Painting	NA	Available (Yes/ No)			
24	Curtain	NA	Available(Yes/ No)			
25	Wall Clock	NA	Available(Yes/ No)			
26	Notice Board	NA	Available(Yes/ No)			
27	White Board	NA	Available(Yes / No)			
28	Lab Cleanliness kit	NA	Available(Yes/ No)			
29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes / No/) No reasibility			
Sl. No. Particulars						
		Consumables	Item Supplied			
1	ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12		St Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
2	Electricity due fully cleared		1st Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
3	No penden	cy in payment of Genset Fuel	Ust Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
il. No.		SOFTWARE WORKING STA				
1 Fa	acilities available for Teachers' training a	Trades & Trades & Trades	Status  Available(Yes 1/2 No)			
2 Fa	cilities available for Students' learning/	Peer assessment at School (OES working or not)	Available(Yes V/No)			
3 Al	ll education software i.e. ERA, OES, AA idyalaya attendance in Desktops & Clien	MA school dot com,9th & 10th e Content, Edu sat, e-	Available(Yes / No)			
4 10	OS-CIT books received at School-Ch	HNO	Yes V/No			
SCHOOL COORDINATOR DETAILS						
Name of School Coordinator worked till 1st April, 2019 Sulel Kuman Behana Contact no. of SC: 8984757180						
	WHeadmistress 7-8'D					
Si	gnature of Implementing Partner's repre-	entative	Govt. Girls High School Signature of HM/HM In-Charge			

## Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: Putulnani Mandal

ID no:

Teaching Subject(s): English Odla

OS-CIT Certified: Yes / N

Date of Birth (DD/MM/YYYY):

Father's Name:

E-Mail ID: putulna nimandal o gnotica E-Mail ID:

Contact no: 9438752902

Teaches through e Content: Yes/No

Name: Nibedeta Mohanty

Teaching Subject(s): Math/school

OS-CIT Certified: Yes / No

Date of Birth (DD/MM/YYYY):

Father's Name:

Contact no: 9668079033

Teaches through e Content: Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Putalrani Mondal

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Vibedita Mohany


Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

Headmistress 26-99-2019 Govt. Girls High School

Destarioosis Ghatgago, Kegnipan

## Photograph of functional ICT Lab:



ODZ4-KEON-1777