-		ICT Lab Status Report of ICT@School						
DSE (a void)50g		9/19	J			
strict:	School:	months Khauridihe.		Block: Saharpada.				
ddress		riding Po Tendra 758016	Implementing l	Parnter Code	: 0024-k	CEON	-1870	
ead of	the Institution Name:	tap Chandre Mohanty.	Phone	e No: 36	78227914			
		ICT LAB ASSETS	Availabi	lity/Working	Status(Pl. tick as per	annlicahi	lity)	
l. No.	No. of Computer	Make / Specification X86 Architecture 3.2 Ghz or higher processor with 4 dedicated	4) Working (Yes_	/ No	9	
	Desktop(Server)	cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer,10/1000/1000 BaseT Ethernet, 104 Key	Available(Yes Available(Yes) Working (Yes	/ No		
	Desktop(Stand By)	keyboard and optical mouse with at least 2 free full height PCI slots		HILASIN TO THE				
	Node 01		Available(Yes	/ No) Working (Yes) Working (Yes	/ No / No		
	Node 02		Available(Yes	/ No) Working (Yes	/ No		
1	Node 03 Node 04	19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170						
			Available(Yes		_) Working (Yes	/ No		
	Node 05	degrees/160 degrees(horizontal/vertical), wall mounting port	Available(Yes	/ No	_) Working (Yes	_/ No_		
	Node 06	VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes	_/ No) Working (Yes_	/ No_	_)	
	Node 07	optical mouse with Shared device	Available(Yes	/ No) Working (Yes_	/ No_)	
	Node 08		Available(Yes	/ No	_) Working (Yes	/ No_)	
1	Node 09		Available(Yes	/ No	_) Working (Yes	/ No	_)	
	Node 10		Available(Yes	/ No) Working (Yes_	/ No	_)	
2	Integrated Computer Projector K-Yar	Projection System:DLP Technology:Brightness:2500-ANSI Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics,4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable TV tuner	Available(Yes	/ No	_) Working (Yes	_/ No_	_)	
3	Interactive White Board (IWB) SMART	Active Size: Minimum 77" diagonal Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-crase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer	Available(Yes	_/ No /	_) Working (Yes_	/ No_	_)	
4	MFP Printer(HP/RICOH)	Mode: up to 18 ppm, print technology: laser, print quality black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T. Ethernet network port, RJ-11 telephone port, Duplex printing Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution, optical: up to 1200 dpi, certified by IDC		/ No	_) Working (Yes_	/ No_	_)	
5	Online UPS(Delta)	ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50 +/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output	Available(Yes	/ No	_) Working (Yes_	/ No)	
6	Networking Switch(16 Port)	D-Link	Available(Yes _	/ No	_) Working (Yes_	/ No_)	
7	Servo Stabiliser(Protect)	5 KVA(1 phase servo motor operated line voltage corrector) input range: 50v-270 v(Single Phase), Mounting: On wheels Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius	Available(Yes _	/ No) Working (Yes	/ No_)	
8	Silent Generator Set Champ/Perfect)	ISO 9001 certified minimum 3 KVA petrol/Diesel based silent generator set with safe cabling and installation	Available(Yes_	/ No) Working (Yes	/ No_		



Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: Trz tap chendem Lang Name: Kuntil ceta Mohanta

ID no:

Teaching Subject(s): (-, 5 C.

OS-CIT Certified: Yes/No

Father's Name: Sanat chi

E-Mail ID:

7978227914 Contact no:

Teaches through e Content:Yes/No

Teaching Subject(s): 551+

OS-CIT Certified: Yes/No

Date of Birth (DD/MM/YYYY): 9.7.146 Date of Birth (DD/MM/YYYY): 06 -08.1993

Father's Name: Madhusudan Mohanta

E-Mail ID:

Contact no: \$2 80 26 38 1 3

Teaches through e Content: Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Hoz tayechol nu has

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

Stamp & Signature of HM



ODZ4-KEON-1870 / -- 2