District: Name of Address: Head of	Nuopac School: GOV7.	JGHS. Khulbaah eraa JGHS. Khulbaah eraa JGHS. Khulbaah eraa JGHS. Khulbaah eraa JCT LAB ASSETS  Make / Specification  X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and optical mouse with Shared device	Implementing Parnter Code:
Name of Address: Head of Sl. No.	School:  School:  School:  School:  School:  School:  School:  No. of Computer  Desktop(Server)  Desktop(Stand By)  Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 06  Node 07  Node 08  Node 09	DGHS. Khutbooh eraa banbhera Pe-Panckampun Benudhan Pe-Panckampun Benudhan School ICT LAB ASSETS  Make / Specification  X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Implementing Parnter Code:
Address: Head of Sl. No.	the Institution Name:  No. of Computer  Desktop(Server)  Desktop(Stand By)  Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	Benuchar Pt-Paschampun Benuchar School Benuchar School Benuchar School  ICT LAB ASSETS  Make / Specification  X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )
Sl. No.	No. of Computer  Desktop(Server)  Desktop(Stand By)  Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	ICT LAB ASSETS  Make / Specification  X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )
	Desktop(Server)  Desktop(Stand By)  Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	Make / Specification  X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )
	Desktop(Server)  Desktop(Stand By)  Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	X86 Architecture 3.2 Ghz or higher processor with 4 dedicated cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )  Available(Yes // No ) Working (Yes // No )
1 -	Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes / No ) Working (Yes No )  Available(Yes / No ) Working (Yes No )  Available(Yes / No ) Working (Yes No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )
1	Node 01  Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI slots  19- inch or higher LED monitor with static contrast 1000:1 resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes / No ) Working (Yes No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )
1	Node 02  Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes / No ) Working (Yes No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )  Available(Yes / No ) Working (Yes / No )
1	Node 03  Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes/ No) Working (Yes/ No)
1	Node 04  Node 05  Node 06  Node 07  Node 08  Node 09	resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes/ No)       Working (Yes/ No)
	Node 05  Node 06  Node 07  Node 08  Node 09	resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes/ No) Working (Yes/ No)  Available(Yes/ No) Working (Yes/ No)  Available(Yes/ No) Working (Yes/ No)
	Node 06 Node 07 Node 08 Node 09	degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes/ No) Working (Yes/ No)  Available(Yes/ No) Working (Yes/ No)  Available(Yes/ No) Working (Yes/ No)
	Node 07 Node 08 Node 09	VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and	Available(Yes/ No) Working (Yes/ No)  Available(Yes/ No) Working (Yes/ No)
	Node 08 Node 09		Available(Yes/ No) Working (Yes/ No)
	Node 08 Node 09	optical mouse with Shared device	
	Node 09		Available(Yes/ No) Working (Yes/ No)
	Node 10		Available(Yes / No ) Working (Yes No )  Available(Yes / No ) Working (Yes / No )
		Projection System:DLP Technology:Brightness:2500-ANSI	Available 1 to Working (Yes NO)
2	Integrated Computer Projector K-Yan	Lumens(Short Throw)Resolution: SVGA(800 x600); Contrast Ratio: 2500:1 Computer System: X86 architecture, 3.2 GHz or higher with 4 dedicated cores, Minimum 4 MB, 1.3 cache, compatible chipset with HD graphics, 4 GB DDR3 RAM expandable to 16 GB, 500 GB Serial SATA II 7200 RPM HDD, Optical Drive DVD RW, wireless keyboard & optical scroll mouse, OS:DOS; input: PS/2 Mouse & Keyboard, RF-in for TV, USB ports, Microphone in;output;interal 30 watts Audio output, LAN:1xGbps LAN, integrated analogue cable TV tuner	Available(Yes/No) Working (Yes/No)
3	Interactive White Board (IWB) SMART	Active Size: Minimum 77" diagonal Active Area: Minimum active area 156 cm W × 117cm H Resolution: Digitizing resolution is approximately 32767 × 32767 Aspect Ratio: 4:3.Board Surface: Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or isopropyl alcohol (IPA),Operating System: Windows XP SP3, Windows Vista® SP2 or Windows 7 operating system and Linux, Writing Tools: Both finger and pen touch without any special tools, supports multi touch and use of non mechanical and battery free objects. Power Options: Power consumption is less than 0.5 W (100 mA at 5 V). Must obtain power from the computer	Available(Yes <u>// No</u> ) Working (Yes <u>//</u> No)
4	MFP Printer(HP/RICOH)	Mode: up to 18 ppm, print technology: laser, print quality black(best): up yo 600x600 dpi(1200 dpi effective), display: at least 2-line LCD, processor speed: minimum 400 MHz, connectivity, standard: hi speed USB 2.0 port, 10/100 base T-Ethernet network port, RJ-11 telephone port, Duplex printing: Automatic scanner type: Flatbed, ADF, Scan file format: JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution, optical: up to 1200 dpi, certified by IDC	Available(Yes/No) Working (Yes/No)
5	Online UPS(Delta)	ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave. Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output	Available(Yes/No) Working (Yes/No)
6	Networking Switch(16 Port)	D-Link	Available(Yes/ No) Working (Yes/ No)
7	Servo Stabiliser(Protect)	5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius	Available(Yes/ No) Working (Yes/ No)
8	Silent Generator Set	ISO 9001 certified minimum 3 KVA petrol/Diesel based	Available(Yes //No ) Working (Yes // No )

SI. No	. Quantity	Make / Specification	Status		
9	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction	Available(Yes // No) Working (Yes // No)		
10	Headphones(40)	Headphone with Mic	Available(Yes // No) Working (Yes // No)		
- 11	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes/ No) Working (Yes/ No)		
12	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes/ No) Working (Yes/ No)		
13	Computer Table 13 Units	Tajpuria	Available(Yes // No)		
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes/ No)		
15	Ceiling Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)		
16	Exhaust Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)		
17	Tube Light(4)	NA	Available(Yes/ No) Working (Yes/ No)		
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes/ No) Working (Yes/ No)		
19	Electrical Meter	NA	Available(Yes/ No) Working (Yes/ No)		
20	Earthing	NA	Available(Yes // No) Working (Yes // No)		
21	Networking	NA	Available(Yes/ No) Working (Yes/ No)		
22	Vinyl Flooring	Vinyl	Available(Yes/ No)		
23	Painting	NA	Available (Yes/ No)		
24	Curtain	NA	Available(Yes _ V / No)		
25	Wall Clock	NA NA	Available(Yes/ No)		
26	Notice Board	NA	Available(Yes/ No)		
27	White Board	NA /	Available(Yes)		
28	Lab Cleanliness kit	NA	Available(Yes/ No)		
. 29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes/ No)		
Sl. No.		Recurring Service			
OH MO.		Consumables	Item Supplied		
1	ICT Lab Register, Blank Sheet of A4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, Blank DVD with Cover (R/W)-50, White board Marker with Duster- 12		☑1st Yr. ☑2nd Yr. ☑3rd Yr. ☑4th Yr. ☑5th Yr.		
2	Ele	ctricity due fully cleared	🖸 Ist Yr. 🗗 2nd Yr. 🗗 3rd Yr. 🗗 4th Yr. 🗗 5th Yr.		
3	No pendency in payment of Genset Fuel		□ 1st Yr. □ 2nd Yr. □ 3rd Yr. □ 4th Yr. □ 5th Yr.		
SI. No.	SOFTWARE WORKING STA		ATUS Status		
			Available(Yes // No)		
2	Facilities available for Students' learning/ Peer assessment at School (OES working or not)		Available(Yes // No)		
3	All education software i.e. ERA, OES, AAMA school dot com,9th & 10th e Content, Edu sat, e-Vidyalaya attendance in Desktops & Clients		Available(Yes)		
4	10 OS-CIT books received at School L	OG1	YesNo		
SCHOOL COORDINATOR DETAILS					
	Name of School Coordinator worked till 10th september 2019 Jagdish Kumor Rout Contact no. of SC: 977789 2366  Tagdish Kumor Rout  Tagdish Kumor Rout  Tagdish Kumor Rout				
Signature of Implementing Partner's representative Signature of IM/IM/In Charges					

Govt. UGHS Khutbanbhera
Dist. Nuapada

## Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: Umesh Kymox Sahu

10 no: 96313508

Teaching Subject(s): Science

OS-CIT Certified: Yes / No Yes

Date of Birth (DD/MM/YYYY): 28.06.84

Father's Name: Santulal Sahu

E-Mail ID: Umeshsahu8/12@gmai: 6m E-Mail ID: Priemsahu15/2@gmail. (6m)

Contact no: 9861656582

Teaches through e Content: Yes/No

Name: Premchand Saha

ID no: 963/3527 Teaching Subject(s):

OS-CIT Certified: Yes / No Yes

Date of Birth (DD/MM/YYYY): 15.06.1988

Father's Name: Memichand Sahu

Contact no: 9556262158

Teaches through e Content: Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities

Unesh Kunar Sahn

Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Premchand Soh

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.

> Headmaster Govt. UGHS Khutbanbhera Stamp Bist Nuapada



ODZ6-NUAP-3332