District	men.	Code: 9 11 9 A	ICT Lab Status Report of ICT		Date: 24-04-	
	UIDSE Code: 218		401002			
Marken Day Working Color			JTHESWAR HIGH S	SCHOO	oL .	
No. of Composer Make / Specification Availability Availability Make / Specification DeskryGlovery No. Make / Specification Availability Availability Make / Specification Make / Specification Availability Makee / Specifi	Address		GOP, PURI	15	Implementing Parnter	
No. No. of Compositer	lead of	the Institution Name:			HAN Phone No:	4348083421
Desktop(Strewt) Desktop(Strewt) Desktop(Strewt Strewt) Desktop(Strewt) Desktop(Sl. No.	No. of Computer		ASSETS	Availability/ Wo	orking Status(Pl. tick as per applicability)
Decktops/Chanal By) Solve 10 Node 01 Node 03 Node 03 Node 03 Node 04 Node 05 Node 05 Node 06 Node 06 Node 06 Node 06 Node 07 Node 06 Node 07 Node 07 Node 06 Node 07 Node 07 Node 07 Node 08 Node 07 Node 08 Node 09 Node 08 Node 09 Node 00 Node 09 Node 00		Desktop(Server)	cores, RAM 4 GB or higher expandable to 16 GB, 500 GB HDD, 19-Inch or higher LED monitor, Built-in audio, 300 Watt Desktop Speaker, DVD writer, 10/1000/1000 BaseT Ethernet, 104 Key keyboard and optical mouse with at least 2 free full height PCI		Available(Yes 👱 / No	o) Working (Yes 🛩 / No)
Node 02 Node 04 Node 05 Node 05 Node 06 Node 07 Node 08 Node 09 Node 100 Processom System DLT Technology Registrates 2506-X20TE (assembly a state of a s		Desktop(Stand By)			Available(Yes/ No	o) Working (Yes <a>/ No)
Node 03		Node 01		1	Available(Yes / No	o) Working (Yes / No)
Node 04 Seeded on the higher LED monder with state contrast 1000.		Node 02	resolution of 1440 x 900 and VGA connectivity with matt black finish, brightness 250 cd/m2, viewing angle 170 degrees/160 degrees(horizontal/vertical), wall mounting port VDA, with Windows certification with EPEAT GOLD/TCO/Energy star certification, 104 Key keyboard and		Available(Yes / No	o) Working (Yes/ No)
Node 04 Seeded on the higher LED monder with state contrast 1000.	1	Node 03			Available(Yes 🛩 / No	o) Working (Yes 🗸 / No)
Node 05		Node 04				
Node 06		Node 05			Available(Yes 🗸 / No	o) Working (Yes / No)
Solid 07 OSCILLATOO, Steary sits conflictions, 104 Key keyboard and optical mouse with Shared decice Available(Yes No Working (Yes No Not and 10 Node 10 Projection System DLP Technology Engitates 2500-ANNI Lamena(Short Throw) Resolutions SVGA(800 x000), Corrist Robert 2500 1 Computer System DLP Technology Engitates 2500-ANNI Lamena(Short Throw) Resolutions SVGA(800 x000), Corrist Robert 2500 1 Computer System DLP Technology Engitates 2500-ANNI Lamena(Short Throw) Resolutions SVGA(800 x000), Corrist Robert 2500 1 Computer System DLP Technology Engitates 2500-ANNI Lamena(Short Throw) Resolutions SVGA(800 x000), Corrist Robert 2500 1 Computer System Not acceptable to 16 OL 500 0 GB Send SATA IT 7200 RPM IND. Optical Drove DVD RW, wellow 64 DD RSS RAM expendable to 16 OL 500 GB Send SATA IT 7200 RPM IND. Optical Drove DVD RW, wellow 64 Robert 2500 RPM IND. Optical Drove DVD RW, wellow 64 Robert 2500 RPM IND. Optical Drove DVD RW, wellow 64 Robert 2500 RPM IND. Optical Drove Robert 2500 RPM IND. Optical						
Node 09 Node 10 Projection System DLP Technology Brightness 2500-ANSI LamenerGhort Throw (Resholding SYSTA) (200 Morking (Yes Y / No) Working (Yes Y /						
Node 10 Node 10 Projection System.DLP Technology Brightness 2500-ANSI Lamesed Short Throw (Revolution. SVA)800 wody), Contrast Compatible Computer Projector K-Van Compatible Compatible Compatible Seas Achievation. SVA (800 wody), Contrast Ratio 2501 Compate System. Stark and Existing Stark Compatible Compatible Seas Achievation. SVA (800 wody), Contrast Ratio 2501 Compatible System. Microbian stark and Existing Stark Compatible Compatible Report with Ill grapheses 40 BLDRS Ratio. And BLD. Optical Existing Manual Properties of Compatible Report Por PVP Riv. works & explosed a contrast and BLD. Cytes and BLD. Optical Professional Stark II 17200 RPM Ill. Dr. Optical Professional Stark II 17200 RPM Ill. Dr. Optical Professional Stark II 17200 RPM Ill. Dr. Optical Professional Stark II 17200 RPM Interactive White Board (IWB) SMART Active Size Minimum 77 diagonal Active Area Minimum active area 185 cm W - 117cm II Resolution Digitizing resolution is approximately active Area Minimum active area 185 cm W - 117cm II Resolution Digitizing resolution is approximately active and active Area Minimum active area 185 cm W - 117cm II Resolution Digitizing resolution is approximately active and active Area Minimum active area 185 cm W - 117cm II Resolution Digitizing resolution is approximately active and active Area Minimum active area 185 cm W - 117cm II Resolution Digitizing resolution is approximate for compatible with dry-rasa markers and cash) cleaned with white Area Area and cash) cleaned with white Area Area and active Area and active Area Area and active Area Area and Area Area Area and Area Area Area Area Area Area Area Area		4				
Node 10 Projection System DLP Technology Englatines 2500-ANI Lument Short Throw [Resolution SVOA/800 x600). Contrast Ratio 2500 1 Computer System X8 architecture, 3.2 GHz or higher with 4 deducted ocers, Minimum and XB, 13 card. Secondary Computer Projector K-Yan	_					
Projection System DL Predenotogy Englishes 2006.ANSI Lumenc(Short Thow (Residuate) x 70 Ag 00 400 000 000 Center or higher with 4 declicated center of yoursen X80 architecture, 3.0 GHz or higher with 4 declicated center (Minimum 4 MB. 1 S cache compatible chipset with HD graphics 4 GB DDR3 RAM compatible chipset with HD graphics 4 GB DDR3 RAM compatible to 16 GB, 500 GB serial SAT AIT 7200 RAM HDD, Optical Drive DVD RW, wireless kepboard & optical seroll mouse, 05 DSOs, input F52 Mouse & Keyboard, Ri-li infor TV, USB ports, Microphone incodput, interal 30 wasts Andio output, LAN Inschipe LAN, integrated analogue cable TV tuner Active Size Minimum 377 diagonal Active Area Minimum active area 156 cm W + 117cm H Resolution Digitarge resolutions in approximately 23267 v 32767 32767 Appect Ratio - 4.3 Board Surface Durable Hard-costed steel sarriage, optimized for projection, manitemance free, compatible with dy-crase markers and easily cleared with whitehoad cleamer or nopropyl alcohol (IPA).Operating System. Windows XV 978. Windows XV 1988. Windows XV 1988				-		
Active Area Minimum active area 156 cm W = 117cm H Resolution Digitizing resolution is approximately \$2767 × \$32767 Aspect Ratio - 43 Board Surface Durable Hard-coated steel surface, optimized for projection, maintenance free, compatible with dry-erase markers and easily cleaned with whiteboard cleaner or suspenyal closhoul (PA)-Operating System. Windows XP 92P3, Windows Yatab 872 or Windows XP 92P3, Windows Yatab 972 or Windows XP 92P3,	2	Integrated Computer Projector K-Yan	Ratio: 2500:1 Computer System: X86 architecture or higher with 4 dedicated cores, Minimum 4 MB, compatible chipset with HD graphics, 4 GB DD expandable to 16 GB, 500 GB Serial SATA II 7 HDD, Optical Drive DVD RW, wireless keyboard scroll mouse, OS DOS; input: PS/2 Mouse & Key in for TV, USB ports, Microphone in, output, interadido output, LAN: 1xGbps LAN, integrated analysis.	e, 3.2 GHz i, 1.3 cache, iR3 RAM i200 RPM id & optical yboard, RF- ral 30 watts	Available(Yes <u>~</u> / N	o) Working (Yes/ No)
black(best) up vo 600x600 dpir(1200 dpi effective), display- at least 2-line LCD, processor speed minimum 400 MHz, connectivity, standard hi speed USB 2 0 port, 10/100 base T- Ethernet network port, RJ-11 telephone port, Duplex printing Automatic scanner type: Flatbed, ADF, Sean file format JPEG, TIF(Compressed & Uncompressed), PDF, GIF, BMP, Scan resolution , optical: up to 1200 dpi, certified by IDC ISO 9001 certified online UPS of 2 KVA with 30 mints power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load , input power factor > 90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output pure sine wave output Available(Yes / No) Working (Yes / No) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Servo Stabiliser(Protect) Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes / No) Working (Yes / No) Available(Yes / No) Working (Yes / No) Available(Yes / No) Working (Yes / No)	3		Active Area: Minimum active area 156 cm W × 11 Resolution: Digitizing resolution is approximately 32767 Aspect Ratio: 4:3 Board Surface: Durable Hard-co surface, optimized for projection, maintenance free compatible with dry-erase markers and easily clear whiteboard cleaner or isopropyl alcohol (IPA), Ope System: Windows XP SP3, Windows Vista® SP2 Windows 7 operating system and Linux, Writing T finger and pen touch without any special tools, sup touch and use of non mechanical and battery free of Power Options: Power consumption is less than 0.	acted steel e, uned with errating 2 or Tools Both pports multi objects.	Available(Yes <u>~</u> / N	lo) Working (Yes_ 🗸 / No)
power back up, output wave form-Pure sine wave, Efficiency 90% or better orated full load, input power factor> 0.90, Battery type: sealed, Maintenance free, micro controller based doubled conversion online UPS and cabling. With DG set compatibilities, frequency range 50+/-6% hertz, operating temperature: 0 to 50 degree Celsius, noise level: as per the government norms, Output: pure sine wave output D-Link Available(Yes ✓ / No) Working (Yes ✓ / No) 5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels, Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp: 0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes ✓ / No) Working (Yes ✓ / No) Working (Yes ✓ / No) Working (Yes ✓ / No)	4	MFP Printer(HP/RICOH)	black(best) up yo 600x600 dpi(1200 dpi effective at least 2-lme LCD, processor speed minimum connectivity, standard hi speed USB 2.0 port, 10/ Ethernet network port, RJ-11 telephone port, Dupl Automatic scanner type: Flatbed, ADF, Scan fil JPEG, TIF(Compressed & Uncompressed), PDF,	ve), display 400 MHz, /100 base T- blex printing dle format GIF, BMP,	Available(Yes 👱 / N	lo) Working (Yes Yes / No)
5 KVA(1 phase servo motor operated line voltage corrector), input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp: 0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes / No) Working (Yes / No)	5.	Online UPS(Delta)	power back up, output wave form-Pure sine wave 90% or better orated full load, input power fact Battery type: sealed, Maintenance free, micro o based doubled conversion online UPS and cabling set compatibilities, frequency range 50+/-6% herts temperature: 0 to 50 degree Celsius, noise level:	e, Efficiency etor> 0.90, controller ag With DG tz, operating as per the	Available(Yes 🔽 / N	
input range: 50v-270 v(Single Phase), Mounting: On wheels. Output range: 220 V/230V/240V single phase(adjustable), earthing terminals, overload cut-off, output protection through MCB, frequency range: 50+/-3% hertz. Operating temp.: 0 to 50 degree Celsius Silent Generator Set ISO 9001 certified minimum 3 KVA petrol/Diesel based Available(Yes / No) Working (Yes / No)	6	Networking Switch(16 Port)	D-Link		Available(Yes / N	lo) Working (Yes 🟏 No)
Q AVAIIABLE LES V NO) WOLKING (LES V NO)	7	Servo Stabiliser(Protect)	input range: 50v-270 v(Single Phase), Mounting: Output range: 220 V/230V/240V single phase(a earthing terminals, overload cut-off, output protect MCB, frequency range: 50+/-3% hertz. Operating	On wheels adjustable), ction through	Available(Yes <u>~</u> /N	No) Working (Yes <a>/ No)
	8				Available(Yes / N	No) Working (Yes/ No)

Sl. No.	Quantity	Make / Specification	Status			
9	Web Cam	Min 5 MP Camera, support for HD video calling(1280*720 pixels), Built-in mic with noise reduction	Available(Yes / No) Working (Yes / No)			
10	Headphones(40)	Headphone with Mic	Available(Yes/ No) Working (Yes/ No)			
11	Headphone Sharer(10)	5-Way 3.5 mm head phone splitter(10)	Available(Yes / No) Working (Yes / No)			
12	Fire Extinguisher	Portable Carbon Dioxide Handheld fire extinguishers as per IS specification	Available(Yes/ No) Working (Yes/ No)			
13	Computer Table 13 Units	Tajpuria	Available(Yes / No)			
14	Armless & Armed Chair (40+1) Units	Uma Plastic	Available(Yes / No)			
15	Ceiling Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)			
16	Exhaust Fan(2)	NA	Available(Yes/ No) Working (Yes/ No)			
17	Tube Light(4)	NA	Available(Yes / No) Working (Yes / No)			
18	Switches, Sockets	5 A-240 V Switches/2 in 1-5Aand 15 A Socket/ 15A-240 V Socket with shutter	Available(Yes/ No) Working (Yes/ No)			
19	Electrical Meter	NA	Available(Yes/ No) Working (Yes/ No)			
20	Earthing	NA	Available(Yes / No) Working (Yes / No)			
21	Networking	NA	Available(Yes/ No) Working (Yes/ No)			
22	Vinyl Flooring	Vinyl	Available(Yes/ No)			
23	Painting	NA NA	Available (Yes / No)			
24	Curtain	NA	Available(Yes/ No)			
25	Wall Clock	NA	Available(Yes/ No)			
26	Notice Board	NA	Available(Yes/ No)			
27	White Board	NA	Available(Yes // No)			
28	Lab Cleanliness kit	NA	Available(Yes // No)			
29	Internet	Broadband/4G/3G/2G (Vodafone / Airtel /BSNL Others)	Available(Yes // No)			
	Recurring Services					
Sl. No.	*	Particulars	Item Supplied			
1		Consumables 4 size (75 GSM)-12 Packets, Cartridge, USB Flash Drives-2, (R/W)-50, White board Marker with Duster- 12	st Yr. 22nd Yr. 37d Yr. 4th Yr. 5th Yr.			
2	E	lectricity due fully cleared	st Yr. 2nd Yr. 3rd Yr. 4th Yr. 5th Yr.			
3	No pendency in payment of Genset Fuel		Ist Yr. 2nd Yr. 93rd Yr. 4th Yr. 5th Yr.			
		SOFTWARE WORKING S				
Sl. No.						
1	Facilities available for Teachers' training	ng at School (ERA working or not)	Available(Yes / No)			
2	And the second s	ng/Peer assessment at School (OES working or not)	Available(Yes 🗹 / No)			
3	All education software i.e. ERA, OES, Vidyalaya attendance in Desktops & C	AAMA school dot com,9th & 10th e Content, Edu sat, e- lients	Available(Yes / No)			
- 4	10 OS-CIT books received at School	SCHOOL COORDINATOR I	Yes // No			
- Na	ame of School Coordinator worked til	SCHOOL COORDINATOR I	ORA BISWAL Contact no. of SC: 9938603005			
	ame of School Coordinator worked til	BANES OF	1mg m. n. 1d			
	Signature of Implementing Parino 37	in sequence	Nilakantheswar High School			
			HIGHGING			

- Dihuda

Annexure

Details of Teachers (at least 2, if more add another sheet) who are given handholding support:

Name: Sridhar Bradhan

ID no:

Teaching Subject(s): History Garan

OS-CIT Certified: Yes/No

Date of Birth (DD/MM/YYYY): 17.04.1961

Father's Name: Havilar Predhan

E-Mail ID:

Contact no: 9853348442

Teaches through e Content:Yes/No

Name: Prater Kishore Mohanty

ID no:

Teaching Subject(s): Math, G. Se

OS-CIT Certified: Yes/No

Date of Birth (DD/MM/YYYY): 08.05.196/

Father's Name: VBhramarbar mohanty

E-Mail ID:

Contact no: 9668556757

Teaches through e Content:Yes/No

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Condhar


Signature of Teacher

This is to undertake that, adequate training and support has been provided to me to manage ICT lab related activities.

Protop Kishore Mohany

Signature of Teacher

I hereby confirm that, necessary handholding support have been given to the teachers mentioned above of our school to manage ICT lab related activities.



ODZ3-PURI-1356